




# Model 30P

30,000 lb.


**Ryan H.** [Click Here To Visit](#)  
**Hydraulic Service, Inc.**




**WEIGHT**  
 SINGLE SPEED: 690 lbs.  
 2-SPEED: 700 lbs.

## OPTIONAL FEATURES

**MOTOR OPTION #1**  
 SINGLE SPEED



**MOTOR OPTION #2**  
 2-SPEED



Because of continued product improvement, we reserve the right to make changes without notice.

Tulsa Winch Group is a worldwide provider of winch systems and electronic load information systems.

**WARNING**

Winches are not intended to be used for the lifting or moving of persons.

**CAUTION**

The last 5 wraps cable must be left on the drum to assist the cable clamp in holding the load.



# Model 30P

## 30,000 lb.



**MOTOR OPTION #1 - SINGLE SPEED**

LAYER	LINEPULL (lbs)	LINE SPEED (fpm)
1	30,000	29
2	25,794	34
3	22,569	39
4	20,062	44
5	18,055	49
6	16,414	54

Performance is based on 30 gpm @ 2500 psi  
With  $\varnothing.625$ " wire rope.



**MOTOR OPTION #2 - 2-SPEED**


LAYER	LINEPULL (lbs)		LINE SPEED (fpm)	
	LOW	HIGH	LOW	HIGH
1	30,000	15,046	29	59
2	25,794	12,897	34	69
3	22,569	11,285	39	78
4	20,062	10,031	44	88
5	18,055	9,028	49	98
6	16,414	8,207	54	108

Performance is based on 30 gpm @ 2500 psi  
With  $\varnothing.625$ " wire rope.

**DRUM CAPACITY - FT.**

LAYER	$\varnothing.625$ WIRE ROPE
1	61
2	132
3	213
4	304
5	406
6	517

**TYPICAL HYDRAULIC SYSTEM**



Because of continued product improvement, we reserve the right to make changes without notice.

### **WARNING**

Winches are not intended to be used for the lifting or moving of persons.

### **CAUTION**

The last 5 wraps cable must be left on the drum to assist the cable clamp in holding the load.

Tulsa Winch Group is a worldwide provider of winch systems and electronic load information systems.



[Click Here To Visit](#)  
**Hydraulic Service, Inc.**